Author Index

ABBEY H. *see* SHIGENAGA T.
ABO T. *see* HALDER R.C.
ABRAHAM S.N. *see* SHIN J.-S.
ABRAHAMSOHN I.A. *see* JACYSYN J.F.
ABRAHAMSON I.A. *see* GRISOTTO M.G.
AGAH A., MONTALTO, M.C., YOUNG, K. & STAHL, G. L. Isolation, cloning and functional characterization of porcine mannose-binding lectin, 338
AGUILERA I., MELERO J., NUÑEZ-ROLDAN A. & SÁNCHEZ B. Molecular structure of eight human autoreactive monoclonal antibodies, 273
AKIMARU Y. *see* KORENGA M.
ALVAREZ J.M. *see* GRISOTTO M.G.
ANDO Y. *see* NIEDA M.
ANDREONI C. *see* PAILLOT R.
ANTONOPOULOS C. *see* CUMBERBATCH M.
AO L. *see* DONNAHOO K.K.
ATEN J. see ROOS A.
AUDONNET J.-C. *see* PAILLOT R.
AYALA A. *see* DONNAHOO K.K.

BANNAI M. *see* HALDER R.C.
BAPAT A.S. *see* WANG Z.-Q.
BARCLAY A.N. *see* WRIGHT G.J.
BARR T.A. & HEATH A. W. Functional activity of CD40 antibodies correlates to the position of binding relative to CD154, 39
BEIGNON A.-S., BRIAND J.-P., MULLER S. & PARTIDOS C. D. Immunization onto bare skin with heat-labile enterotoxin of Escherichia coli enhances immune responses to coadministered protein and peptide antigens and protects mice against lethal toxin challenge, 344
BEVERLEY P.C.L. *see* TIMÓN M.
BIRCHALL L.J. see TODRYK S.M.
BOZZOTTI P. *see* KOVARIK J.
BRAUNSCHWEIGER I. *see* LANGHANS B.
BRIAND J.-P. *see* BEIGNON A.-S.
BROOKS J.V. *see* TURNER J.
BROWN D.M., FISHER T., WEI C., FRELINGER J.G. & LORD E. M. Tumours can act as adjuvants for humoral immunity, 486
BROWN M.H. *see* WRIGHT G.J.
BROWN W.C. *see* VALDEZ R.A.
BUJDOSO R. *see* SMITH J.R.
BUNE A.J., HAYMAN A.R., EVANS M.J. & COX T. M. Mice lacking tartrate-resistant acid phosphatase (Acp 5) have disordered macrophage inflammatory responses and reduced clearance of the pathogen, Staphylococcus aureus, 103
BUXADÉ M., RAMÍREZ-ALVARADO M., FERNÁNDEZ-TROY N., MACKENZIE S., CASAROLI-MARANO R.P., VILELLA R. & ESPEL E. Intergrating signals from T-cell receptor and serum by T cells enhance translation of tumour necrosis factor-α, 416

CAIN M.P. *see* DONNAHOO K.K.
CALVI S.A. *see* SOARES A.M.V.C.
CAMPANELLI R. *see* LANTELME E.
CASAROLI-MARANO R.P. *see* BUXADÉ M.
CASHMAN N.R. *see* MORELON E.
CHADEE K. *see* YU Y.
CHO D. *see* KIM S.H.
COLLINS J.E. *see* YEAMAN G.R.
CONRAD D.H. *see* KILMON M.A.
COX T.M. *see* BUNE A.J.
CRUICKSHANK S.M. *see* SILLETT H.K.
CUMBERBATCH M., DEARMAN R.J., ANTONOPOULOS C., GROVES R.W. & KIMBER I. Interleukin (IL)-18 induces Langerhans cell migration by a tumour necrosis factor α-and IL-1β-dependent mechanism, 323
CUNNINGHAM A.C. *see* EGHTESAD M.

D'IMPÉRIO LIMA M.R. *see* GRISOTTO M.G.
DAGTAS A.S. *see* WANG Z.-Q.
DALGLEISH A.G. *see* TODRYK S.M.
DANNENBERG Jr. A.M. *see* SHIGENAGA T.
DAVID B. *see* VILLA I.
DAVIS H.L. *see* KOVARIK J.
DAVIS W.C. *see* VALDEZ R.A.
DEARMAN R.J. see CUMBERBATCH M.
DIAS L.A. *see* SOARES, A.M.V.C.
DODELET V. *see* MORELON E.
DONNAHOO K.K., MENG X., AO L., AYALA A., SHAMES B.D., CAIN M.P., HARKEN A.H. & MELDRUM D. R. Differential cellular immunolocalization of renal tumour necrosis factor-α production during ischaemia versus endotoxaemia, 53
DOS ANJOS A.R. *see* SOARES A.M.V.C.
DROUET C. *see* TOURNIER J.-N.
DROUET E. *see* TOURNIER J.-N.

EGHTESAD M., JACKSON H.E. & CUNNINGHAM A. C. Primary human alveolar epithelial cells can elicit the transendothelial migration of $CD14^+$ monocytes and $CD3^+$ lymphocytes, 157
ENGELEN L. *see* ROOS A.
ERLICH R. *see* TODRYK S.M.
ESPEL E. *see* BUXADÉ M.
EVANS M.J. see BUNE A.J.

FANGER M.W. *see* YEAMAN G.R.
FERNANDEZ A.C. *see* SOARES A.M.V.C.
FERNÁNDEZ-TROY N. *see* BUXADÉ M.
FERRANTE A. *see* HII C.S.T.
FISHER T. *see* BROWN D.M.
FLORES-ROMO L. In vivo maturation and migration of dendritic cells, 255
FRANK A.A. *see* TURNER J.
FRAUWIRTH K. & SHASTRI N. Introducing endogenous antigens into the major histocompatibility complex (MHC) class II presentation pathway. Both Ii mediated inhibition and enhancement of endogenous peptide/MHC class II presentation require the same Ii domains, 405
FRELINGER J.G. *see* BROWN D.M.

GIACHINO C. *see* LANTELME E.
GOODIER M.R. & LONDEI M. Low concentrations of lipopolysaccharide synergize with peptides to augment human T-cell proliferation and can prevent the induction of non-responsiveness by CTLA4-Ig, 15
GRANT G. *see* LAVELLE E.C.
GRAY D. *see* SIEPMANN K.
GRISOTTO M.G., D'IMPÉRIO LIMA M.R., MARINHO C.R.F., TADOKORO C.E., ABRAHAMSON I.A. & ALVAREZ J. M. Most parasite-specific $CD8^+$ cells in Trypanosoma cruzi-infected chronic mice are down-regulated for T-cell receptor-αβ and CD8 molecules, 209
GROVES R.W. *see* CUMBERBATCH M.

HAIG D.M. *see* SWA S.
HALANEK N. *see* TODRYK S.M.
HALDER R.C., KAWAMURA T., BANNAI M., WATANABE H., KAWAMURA H., MANNOOR M.K., MORSHED S.R.M.

Author Index

ABBEY H. *see* SHIGENAGA T.
ABO T. *see* HALDER R.C.
ABRAHAM S.N. *see* SHIN J.-S.
ABRAHAMSOHN I.A. *see* JACYSYN J.F.
ABRAHAMSON I.A. *see* GRISOTTO M.G.
AGAH A., MONTALTO, M.C., YOUNG, K. & STAHL, G. L. Isolation, cloning and functional characterization of porcine mannose-binding lectin, 338
AGUILERA I., MELERO J., NUÑEZ-ROLDAN A. & SÁNCHEZ B. Molecular structure of eight human autoreactive monoclonal antibodies, 273
AKIMARU Y. *see* KORENGA M.
ALVAREZ J.M. *see* GRISOTTO M.G.
ANDO Y. *see* NIEDA M.
ANDREONI C. *see* PAILLOT R.
ANTONOPOULOS C. *see* CUMBERBATCH M.
AO L. *see* DONNAHOO K.K.
ATEN J. see ROOS A.
AUDONNET J.-C. *see* PAILLOT R.
AYALA A. *see* DONNAHOO K.K.

BANNAI M. *see* HALDER R.C.
BAPAT A.S. *see* WANG Z.-Q.
BARCLAY A.N. *see* WRIGHT G.J.
BARR T.A. & HEATH A. W. Functional activity of CD40 antibodies correlates to the position of binding relative to CD154, 39
BEIGNON A.-S., BRIAND J.-P., MULLER S. & PARTIDOS C. D. Immunization onto bare skin with heat-labile enterotoxin of Escherichia coli enhances immune responses to coadministered protein and peptide antigens and protects mice against lethal toxin challenge, 344
BEVERLEY P.C.L. *see* TIMÓN M.
BIRCHALL L.J. see TODRYK S.M.
BOZZOTTI P. *see* KOVARIK J.
BRAUNSCHWEIGER I. *see* LANGHANS B.
BRIAND J.-P. *see* BEIGNON A.-S.
BROOKS J.V. *see* TURNER J.
BROWN D.M., FISHER T., WEI C., FRELINGER J.G. & LORD E. M. Tumours can act as adjuvants for humoral immunity, 486
BROWN M.H. *see* WRIGHT G.J.
BROWN W.C. *see* VALDEZ R.A.
BUJDOSO R. *see* SMITH J.R.
BUNE A.J., HAYMAN A.R., EVANS M.J. & COX T. M. Mice lacking tartrate-resistant acid phosphatase (Acp 5) have disordered macrophage inflammatory responses and reduced clearance of the pathogen, Staphylococcus aureus, 103
BUXADÉ M., RAMÍREZ-ALVARADO M., FERNÁNDEZ-TROY N., MACKENZIE S., CASAROLI-MARANO R.P., VILELLA R. & ESPEL E. Intergrating signals from T-cell receptor and serum by T cells enhance translation of tumour necrosis factor-α, 416

CAIN M.P. *see* DONNAHOO K.K.
CALVI S.A. *see* SOARES A.M.V.C.
CAMPANELLI R. *see* LANTELME E.
CASAROLI-MARANO R.P. *see* BUXADÉ M.
CASHMAN N.R. *see* MORELON E.
CHADEE K. *see* YU Y.
CHO D. *see* KIM S.H.
COLLINS J.E. *see* YEAMAN G.R.
CONRAD D.H. *see* KILMON M.A.
COX T.M. *see* BUNE A.J.
CRUICKSHANK S.M. *see* SILLETT H.K.
CUMBERBATCH M., DEARMAN R.J., ANTONOPOULOS C., GROVES R.W. & KIMBER I. Interleukin (IL)-18 induces Langerhans cell migration by a tumour necrosis factor α-and IL-1β-dependent mechanism, 323
CUNNINGHAM A.C. *see* EGHTESAD M.

D'IMPÉRIO LIMA M.R. *see* GRISOTTO M.G.
DAGTAS A.S. *see* WANG Z.-Q.
DALGLEISH A.G. *see* TODRYK S.M.
DANNENBERG Jr. A.M. *see* SHIGENAGA T.
DAVID B. *see* VILLA I.
DAVIS H.L. *see* KOVARIK J.
DAVIS W.C. *see* VALDEZ R.A.
DEARMAN R.J. see CUMBERBATCH M.
DIAS L.A. *see* SOARES, A.M.V.C.
DODELET V. *see* MORELON E.
DONNAHOO K.K., MENG X., AO L., AYALA A., SHAMES B.D., CAIN M.P., HARKEN A.H. & MELDRUM D. R. Differential cellular immunolocalization of renal tumour necrosis factor-α production during ischaemia versus endotoxaemia, 53
DOS ANJOS A.R. *see* SOARES A.M.V.C.
DROUET C. *see* TOURNIER J.-N.
DROUET E. *see* TOURNIER J.-N.

EGHTESAD M., JACKSON H.E. & CUNNINGHAM A. C. Primary human alveolar epithelial cells can elicit the transendothelial migration of $CD14^+$ monocytes and $CD3^+$ lymphocytes, 157
ENGELEN L. *see* ROOS A.
ERLICH R. *see* TODRYK S.M.
ESPEL E. *see* BUXADÉ M.
EVANS M.J. see BUNE A.J.

FANGER M.W. *see* YEAMAN G.R.
FERNANDEZ A.C. *see* SOARES A.M.V.C.
FERNÁNDEZ-TROY N. *see* BUXADÉ M.
FERRANTE A. *see* HII C.S.T.
FISHER T. *see* BROWN D.M.
FLORES-ROMO L. In vivo maturation and migration of dendritic cells, 255
FRANK A.A. *see* TURNER J.
FRAUWIRTH K. & SHASTRI N. Introducing endogenous antigens into the major histocompatibility complex (MHC) class II presentation pathway. Both Ii mediated inhibition and enhancement of endogenous peptide/MHC class II presentation require the same Ii domains, 405
FRELINGER J.G. *see* BROWN D.M.

GIACHINO C. *see* LANTELME E.
GOODIER M.R. & LONDEI M. Low concentrations of lipopolysaccharide synergize with peptides to augment human T-cell proliferation and can prevent the induction of non-responsiveness by CTLA4-Ig, 15
GRANT G. *see* LAVELLE E.C.
GRAY D. *see* SIEPMANN K.
GRISOTTO M.G., D'IMPÉRIO LIMA M.R., MARINHO C.R.F., TADOKORO C.E., ABRAHAMSON I.A. & ALVAREZ J. M. Most parasite-specific $CD8^+$ cells in Trypanosoma cruzi-infected chronic mice are down-regulated for T-cell receptor-αβ and CD8 molecules, 209
GROVES R.W. *see* CUMBERBATCH M.

HAIG D.M. *see* SWA S.
HALANEK N. *see* TODRYK S.M.
HALDER R.C., KAWAMURA T., BANNAI M., WATANABE H., KAWAMURA H., MANNOOR M.K., MORSHED S.R.M.

& ABO T. Intensive generation of NK1.1$^-$ extrathymic T cells in the liver by injection of bone marrow cells isolated from mice with a mutation of polymorphic major histocompatability complex antigens, 450
HALLIDAY D. *see* HII C.S.T.
HANSEN P.J. see MAJEWSKI A.C.
HARA T., NISHIMURA H., HASEGAWA Y. & YOSHIKAI Y. Thymus-dependent modulation of Ly49 inhibitory receptor expression on NK1.1$^+$ γ/δ T cells, 24
HARKEN A.H. *see* DONNAHOO K.K.
HARNETT M. *see* SIEPMANN K.
HASEGAWA Y. *see* HARA T.
HASHIGUCHI Y. *see* KORENGA M.
HAYMAN A.R. *see* BUNE A.J.
HEATH A.W. *see* BARR T.A.
HELLWIG S. *see* PRECKEL T.
HII C.S.T., MARIN L.A., HALLIDAY D., ROBERTSON D.M., MURRAY A.W. & FERRANTE A. Regulation of human neutrophil-mediated cartilage proteoglycan degradation by phosphatidylinositol-3-kinase, 59
HOFFMANN M.K. *see* WANG Z.-Q.
HOOGTEIJLING L. *see* JANSSEN R.
HUERRE M. *see* VILLA I.

IKEBE H., YAMADA H., NOMOTO M., TAKIMOTO H., NAKAMURA T., SONODA K.-H. & NOMOTO K. Persistent infection with Listeria monocytogenes in the kidney induces anti-inflammatory invariant fetal-type γδ T cells, 94
INCHAUSPÉ G. *see* LANGHANS B.
ISHIHARA S. *see* NIEDA M.

JACKSON H.E. *see* EGHTESAD M.
JACYSYN J.F., ABRAHAMSOHN I.A. & MACEDO M. S. Modulation of delayed-type hypersensitivity during the time course of immune response to a protein antigen, 373
JAMES K. *see* SKIBINSKI G.
JANSSEN R., KRUISSELBRINK A., HOOGTEIJLING L., LAMB J.R., YOUNG D.B. & THOLE J. E. R. Analysis of recombinant mycobacteria as T helper type 1 vaccines in an allergy challenge model, 441
JOHANSSON M. & LYCKE N. Immunological memory in B-cell-deficient mice conveys long-lasting protection against genital tract infection with Chlamydia trachomatis by rapid recruitment of T cells, 199
JONES M. *see* WRIGHT G.J.
JOUAN A. *see* TOURNIER J.-N.
JUILLARD V. *see* PAILLOT R.
JUJI T. *see* NIEDA M.
JUNG G. *see* LANGHANS B.

KATSUKI M. *see* MOON B.-G.
KAWAMURA H. *see* HALDER R.C.
KAWAMURA T. *see* HALDER R.C.
KEMENY D. M. Immunology in the new millenium: building on tradition, 1
see also VUKMANOVIC-STEJIC M.
KIKUCHI A. *see* NIEDA M.
KILMON M.A., MAYER R.J., MARSHALL L.A. & CONRAD D. H. Metalloprotease inhibitor-mediated inhibition of mouse immunoglobulin production, 281
KIM S.H., CHO D. & KIM T. S. Induction of *in vivo* resistance to Mycobacterium avium infection by intramuscular injection with DNA encoding interleukin-18, 234
KIM T.S. *see* KIM S.H.
KIMBER I. *see* CUMBERBATCH M.
KNOWLES D.P. *see* VALDEZ R.A.
KOEZUKA Y. *see* NIEDA M.
KORENGA M., AKIMARU Y., SHAMSUZZAMAN S.M. & HASHIGUCHI Y. Impaired protective immunity and T helper 2 responses in alymphoplasia (aly) mutant mice infected with Trichinella spiralis, 218
KOVARIK J., BOZZOTTI P., TOUGNE C., DAVIS H.L., LAMBERT P.-H., KRIEG A.M. & SIEGRIST C.-A. Adjuvant effects of CpG oligodeoxynucleotides on responses against T-independent type 2 antigens, 67
KRIEG A.M. *see* KOVARIK J.
KRUISSELBRINK A. *see* JANSSEN R.
KUNZENDORF U. *see* ROOS A.

LAMB J.R. *see* JANSSEN R.
LAMBERT P.-H. *see* KOVARIK J.
LANDSVERK T. *see* PRESS C.McL.
LANGHANS B., BRAUNSCHWEIGER I., SCHWEITZER S., JUNG G., INCHAUSPÉ G., SAUERBRUCH T. & SPENGLER U. Lipidation of T helper sequences from hepatitis C virus core significantly enhances T-cell activity *in vitro*, 460
LANTELME E., MANTOVANI S., PALERMO B., CAMPANELLI R., SALLUSTO F. & GIACHINO C. Kinetics of GATA-3 gene expression in early polarizing and committed human T cells, 123
LAPPIN M.B. *see* PRECKEL T.
LAPTEVA N. *see* NIEDA M.
LAVAL F. *see* PAILLOT R.
LAVELLE E.C., GRANT G., PUSZTAI A., PFÜLLER U. & O'HAGAN D. T. The identification of plant lectins with muscosal adjuvant activity, 77
LAVERY P. *see* MORELON E.
LOERTSCHER R. *see* MORELON E.
LONDEI M. *see* GOODIER M.R.
LORD E.M. *see* BROWN D.M.
LOWRIE D.B. *see* SHIGENAGA T.
LUKEY P.T. *see* PASSMORE J.S.
LYCKE N. *see* JOHANSSON M.

MACEDO M.S. *see* JACYSYN J.F.
MACKENZIE S. *see* BUXADÉ M.
MAILFERT Y. *see* TOURNIER J.-N.
MAJEWSKI A.C., TEKIN S. & HANSEN P. J. Local versus systemic control of numbers of endometrial T cells during pregnancy in sheep, 317
MANICKASINGHAM S. & REIS E SOUSA C. Mature T cell *see*ks antigen for meaningful relationship in lymph node, 381
MANNOOR M.K. *see* HALDER R.C.
MANTOVANI S. *see* LANTELME E.
MARIETTA P.M. *see* TURNER J.
MARIN L.A. *see* HII C.S.T.
MARINHO C.R.F. *see* GRISOTTO M.G.
MARSHALL L.A. *see* KILMON M.A.
MATHIEU J. see TOURNIER J.-N.
MAYER R.J. see KILMON M.A.
MCCULLAGH P. *see* PRESS C.McL.
MCGUIRE T.C. *see* VALDEZ R.A.
MÉCHERI S. *see* VILLA I.
MELDRUM D.R. *see* DONNAHOO K.K.
MELERO J. see AGUILERA I.
MENG X. *see* DONNAHOO K.K.
MITRA-KAUSHIK S. *see* NAYAK R.
MOLD C. & MORRIS C. A. Complement activation by apoptotic endothelial cells following hypoxia/reoxygenation, 359
MONTALTO M.C. *see* AGAH A.
MOON B.-G., YOSHIDA T., SHIIBA M., NAKAO K., KATSUKI M., TAKAKI S. & TAKATSU K. Functional dissection of the cytoplasmic subregions of the interleukin-5 receptor α chain in growth and immunoglobulin G1 switch recombination of B cells, 289
MORAN A.P. *see* O'HARA, A.M.
MORELON E., DODELET V., LAVERY P., CASHMAN N.R. & LOERTSCHER R. The failure of Daudi cells to express the cellular prion protein is caused by a lack of glycosyl-phosphatidylinositol anchor formation, 242
MORRIS C.A. *see* MOLD C.
MORSHED S.R.M. *see* HALDER R.C.
MOUNTS P. *see* SHIGENAGA T.
MULLER S. *see* BEIGNON A.-S.
MULTON E. *see* TOURNIER J.-N.
MURRAY A.W. *see* HII C.S.T.

NAKAMURA T. *see* IKEBE H.
NAKAO K. *see* MOON B.-G.

NAYAK R., MITRA-KAUSHIK S. & SHAILA M. S. Perpetuation of immunological memory: a relay hypothesis, 387
NEEFT M. *see* ROOS A.
NICOL A. *see* NIEDA M.
NIEDA M., KIKUCHI A., NICOL A., KOEZUKA Y., ANDO Y., ISHIHARA S., LAPTEVA N., YABE T., TOKUNAGA K., TADOKORO K. & JUJI T. Dendritic cells rapidly undergo apoptosis *in vitro* following culture with activated $CD4^+$ Vα24 natural killer T cells expressing CD40L, 137
NISHIMURA H. *see* HARA T.
NOBLE A. *see* VUKMANOVIC-STEJIC M.
NOMOTO K. *see* IKEBE H.
NOMOTO M. *see* IKEBE H.
NUÑEZ-ROLDAN A. *see* AGUILERA I.

O'HAGAN D.T. *see* LAVELLE E.C.
O'HARA A.M., MORAN A.P., WÜRZNER R. & ORREN A. Complement-mediated lipopolysaccharide release and outer membrane damage in Escherichia coli J5: requirement for C9, 365
ORLEANS-LINDSAY J.K. *see* TODRYK S.M.
ORME I.M. *see* TURNER J.
ORREN A. *see* O'HARA, A.M.

PAILLOT R., LAVAL F., AUDONNET J.-C., ANDREONI C. & JUILLARD V. Functional and phenotypic characterization of distinct porcine dendritic cells derived from peripheral blood monocytes, 396
PALERMO B. *see* LANTELME E.
PARTIDOS C.D. *see* BEIGNON A.-S.
PASSMORE J.S., LUKEY P.T. & RESS S. R. The human macrophage cell line U937 as an *in vitro* model for selective evaluation of mycobacterial antigen-specific cytotoxic T-cell function, 146
PATEL A. *see* WEDDERBURN L.R.
PERAÇOLI M.T.S. *see* SOARES A.M.V.C.
PERONET R. *see* VILLA I.
PFLUGFELDER U. *see* PRECKEL T.
PFÜLLER U. *see* LAVELLE E.C.
PRECKEL T., HELLWIG S., PFLUGFELDER U., LAPPIN M.B. & WELTZIEN H. U. Clonal anergy induced in a $CD8^+$ hapten-specific cytotoxic T-cell clone by an altered hapten-peptide ligand, 8
PRESS C.McL., MCCULLAGH P. & LANDSVERK T. Effect of early fetal splenectomy on prenatal B-cell development in sheep, 131
PRESTIDGE R. *see* SKINNER M.A.
PUKLAVEC M.J. see WRIGHT G.J.
PUSZTAI A. *see* LAVELLE E.C.

RAMÍREZ-ALVARADO M. *see* BUXADÉ M.
RAYANADE R.J. see WANG Z.-Q.
REID H. *see* SWA S.
REIS E SOUSA C. *see* MANICKASINGHAM S.
RESS S.R. *see* PASSMORE J.S.
ROBERTSON D.M. *see* HII C.S.T.
ROOS A., NEEFT M., ENGELEN L., SCHILDER-TOL E.J.M., KUNZENDORF U., WEENING J.J. & ATEN J. The immune dysregulatory compound mercuric chloride induces integrin-mediated T-lymphocyte adhesion, 31

SAID W. *see* SHIGENAGA T.
SALLUSTO F. *see* LANTELME E.
SÁNCHEZ B. *see* AGUILERA I.
SAUERBRUCH T. *see* LANGHANS B.
SCHILDER-TOL E.J.M. *see* ROOS A.
SCHOFIELD B.H. *see* SHIGENAGA T.
SCHWEITZER S. *see* LANGHANS B.
SHAILA M.S. *see* NAYAK R.
SHAMES B.D. *see* DONNAHOO K.K.
SHAMSUZZAMAN S.M. *see* KORENGA M.
SHASTRI N. *see* FRAUWIRTH K.
SHIGENAGA T., DANNENBERG Jr. A.M., LOWRIE D.B., SAID W., URIST M.J., ABBEY H., SCHOFIELD B.H., MOUNTS P. & SUGISAKI K. Immune responses in tuberculosis: antibodies and CD4-CD8 lymphocytes with vascular adhesion molecules and cytokines (chemokines) cause a rapid antigen-specific cell infiltration at sites of bacillus Calmette-Guérin reinfection, 466
SHIIBA M. *see* MOON B.-G.
SHIN J.-S. & ABRAHAM S.N. Co-option of endocytic functions of cellular caveolae by pathogens, 2
SIEGRIST C.-A. *see* KOVARIK J.
SIEPMANN K., SKOK J., VAN ESSEN D., HARNETT M. & GRAY D. Rewiring of CD40 is necessary for delivery of rescue signals to B cells in germinal centres and subsequent entry into the memory pool, 263
SILLETT H.K., CRUICKSHANK S.M., SOUTHGATE J. & TREJDOSIEWICZ L. K. Transforming growth factor-β promotes 'death by neglect' in post-activated human T cells, 310
SKIBINSKA A. *see* SKIBINSKI G.
SKIBINSKI G., SKIBINSKA A. & JAMES K. The role of hepatocyte growth factor and its receptor c-met in interactions between lymphocytes and stromal cells in secondary human lymphoid organs, 506
SKINNER M.A., PRESTIDGE R., YUAN S., STRABALA T.J. & TAN P. L. J. The ability of heat-killed Mycobacterium vaccae to stimulate a cytotoxic T-cell response to an unrelated protein is associated with a 65 kilodalton heat-shock protein, 225
SKOK J. see SIEPMANN K.
SKOKOS D. *see* VILLA I.
SMITH J.R., THACKRAY A.M. & BUJDOSO R. Reduced herpes simplex virus type 1 latency in Flt-3 ligand-treated mice is associated with enhanced numbers of natural killer and dendritic cells, 352
SOARES A.M.V.C., CALVI S.A., PERAÇOLI M.T.S., FERNANDEZ A.C., DIAS L.A., DOS ANJOS A.R. Modulatory effect of prostaglandins on human monocyte activation for killing of high- and low-virulence strains of Paracoccidioides brasiliensis, 480
SONODA K.-H. *see* IKEBE H.
SOUTHGATE J. see SILLETT H.K.
SPENGLER U. *see* LANGHANS B.
STAHL G.L. *see* AGAH A.
STRABALA T.J. see SKINNER M.A.
SUGISAKI K. *see* SHIGENAGA T.
SWA S., WRIGHT H., THOMSON J., REID H. & HAIG D. M. Constitutive activation of Lck and Fyn tyrosine kinases in large granular lymphocytes infected with the γ-herpesvirus agents of malignant catarrhal fever, 44

TADOKORO C.E. *see* GRISOTTO M.G.
TADOKORO K. *see* NIEDA M.
TAKAKI S. *see* MOON B.-G.
TAKATSU K. *see* MOON B.-G.
TAKIMOTO H. *see* IKEBE H.
TAN P.L.J. see SKINNER M.A.
TEKIN S. *see* MAJEWSKI A.C.
THACKRAY A.M. *see* SMITH J.R.
THOLE J.E.R. *see* JANSSEN R.
THOMAS M.J. see VUKMANOVIC-STEJIC M.
THOMSON J. see SWA S.
TIMÓN M. & BEVERLEY P. C. L. Structural and functional analysis of the human CD45 gene (PTPRC) upstream region: evidence for a functional promoter within the first intron of the gene, 180
TKACZYK C. *see* VILLA I.
TODRYK S.M., BIRCHALL L.J., ERLICH R., HALANEK N., ORLEANS-LINDSAY J.K. & DALGLEISH A. G. Efficacy of cytokine gene transfection may differ for autologous and allogeneic tumour cell vaccines, 190
TOKUNAGA K. *see* NIEDA M.
TOUGNE C. *see* KOVARIK J.
TOURNIER J.-N., MATHIEU J., MAILFERT Y., MULTON E., DROUET C., JOUAN A. & DROUET E. Chronic restraint stress induces severe disruption of the T-cell specific response to tetanus toxin vaccine, 87
TREJDOSIEWICZ L.K. *see* SILLETT H.K.
TURNER J., FRANK A.A., BROOKS J.V., MARIETTA P.M. &

ORME I. M. Pentoxifylline treatment of mice with chronic pulmonary tuberculosis accelerates the development of destructive pathology, 248

URIST M.J. see SHIGENAGA T.

VALDEZ R.A., MCGUIRE T.C., BROWN W.C., DAVIS W.C. & KNOWLES D. P. Long-term *in vivo* depletion of functional $CD4^+$ T lymphocytes from calves requires both thymectomy and anti-CD4 monoclonal antibody treatment, 426
VAN ESSEN D. *see* SIEPMANN K.
VARSANI H. *see* WEDDERBURN L.R.
VILELLA R. *see* BUXADÉ M.
VILLA I., SKOKOS D., TKACZYK C., PERONET R., DAVID B., HUERRE M. & MÉCHERI S. Capacity of mouse mast cells to prime T cells and to induce specific antibody responses *in vivo*, 165
VUKMANOVIC-STEJIC M., THOMAS M.J., NOBLE A. & KEMENY D. M. Specificity, restriction and effector mechanisms of immunoregulatory CD8 T cells, 115

WANG Z.-Q., BAPAT A.S., RAYANADE R.J., DAGTAS A.S. & HOFFMANN M. K. Interleukin-10 induces macrophage apoptosis and expression of CD16 (FcγRIII) whose engagement blocks the cell death program and facilitates differentiation, 331
WATANABE H. *see* HALDER R.C.
WEDDERBURN L.R., PATEL A., VARSANI H. & WOO P. The developing human immune system: T-cell receptor repertoire of children and young adults shows a wide discrepancy in the frequency of persistent oligoclonal T-cell expansions, 301
WEENING J.J. see ROOS A.
WEI C. *see* BROWN D.M.
WELTZIEN H.U. *see* PRECKEL T.
WIRA C.R. *see* YEAMAN G.R.
WOO P. *see* WEDDERBURN L.R.
WRIGHT G.J., JONES M., PUKLAVEC M.J., BROWN M.H. & BARCLAY A. N. The unusual distribution of the neuronal/lymphoid cell surface CD200 (OX2) glycoprotein is conserved in humans, 173
WRIGHT H. *see* SWA S.
WÜRZNER R. *see* O'HARA A.M.

YABE T. *see* NIEDA M.
YAMADA H. *see* IKEBE H.
YEAMAN G.R., COLLINS J.E., FANGER M.W. & WIRA C.R. $CD8^+$ T cells in human uterine endometrial lymphoid aggregates: evidence for accumulation of cells by trafficking, 434
YOSHIDA T. *see* MOON B.-G.
YOSHIKAI Y. *see* HARA T.
YOUNG D.B. *see* JANSSEN R.
YOUNG K. *see* AGAH A.
YU Y. & CHADEE K. The 3′-untranslated region of human interleukin-8 mRNA suppresses IL-8 gene expression, 498
YUAN S. *see* SKINNER M.A.

Subject Index

Adjuvants:
  heat shock protein 65, 225
  mucosal, 77
  Mycobacterium vaccae, 225
  plant lectins as mucosal adjuvants, 77
  tumours, 486
Altered hapten ligands:
  induce anergy in $CD8^+$ cytotoxic T lymphocytes, 8
Alveolar epithelial cells:
  human, 157
  leucocyte recruitment by, 157
  monocyte chemoattractant protein 1 production, 157
aly gene:
  required for T helper type 2 protective immunity, 218
  Trichinella spiralis expression, 218
Antigen presentation: *in vivo*, 381
Autoantibodies, 273
Autommunity, 273

B cells:
  apoptosis, 263
  CD40 ligation, 263
  germinal centre, 263
  idiotypic antibody, 387
  memory, 387
B-cell development:
  effect of splenectomy on, 131
  neonatal, 131
  Peyer's paten, 131
  sheep, 131

C9:
  requirement for lipopolysaccharide release, 365
Cancer vaccines:
  anti-tumour cytoxic T lymphocyte activity, 190
  cytokine transfection, 190
  murine melanoma, 190
$CD4^+$ memory T cells:
  genital tract, 199
  role in protection against *Chlamydia trachomatis* infection, 199
$CD4^+$ T lymphocytes:
  bovine, 426
  depletion by thymectomy, 426
  long-term *in vivo* depletion, 426
$CD8^+$ T cells:
  anergy, 8
  effector mechanisms, 115
  immunoregulation, 115
  human endometrium, 434
  infection, 209
  production of interferon-γ and tumour necrosis factor-α in *Trypanosoma cruzi* specificity, 115
  subsets, 115
  Tc1 effectors in chronic *Trypanosoma cruzi* infection, 209
CD23:
  effect of metalloprotease inhibitors, 281
  release for B cells, 281
CD40:
  anti-CD40 monoclonal antibody CD154, 39
  epitopes, 39
  mouse studies, 39
  rescues B cells from apoptosis, 263
  rewiring, 263
  role in B-cell rescue, 263
  stimulation/activation, 39
CD45:
  functional promoter, 180
  gene regulation, 180
  human, 180
  PTPRC, 180
CD200:
  human tissue distribution, 173
Cellular caveolae:
  endocytosis, 2
  intracellular pathogens, 2
  intracellular trafficking, 2
Clonal anergy:
  in $CD8^+$ cytotoxic T lymphocytes, 8
  induced by altered hapten ligands, 8
Complement:
  C9 deficiency, 365
  mediated lipopolysaccharide release, 365
Complement activation:
  by apoptotic cells, 359
  following hypoxia/reoxygenation, 359
  using human umbilical vein endothelial cells as a model, 359
CpG motifs:
  adjuvant effects on T-independent type 2 antigens antigen responses, 67
  modulate antibody responses to T-independent type 2 antigens, 67

Delayed-type hypersensitivity:
  influence of antibody mediated, 373
Dentritic cell apoptosis:
  induced by $CD4^+$ Vα24 natural killer cells, 137
  role of CD40–CD40 ligand interaction, 137
Dendritic cells:
  interaction with T cells, 381
  migration, 255
  secondary lymphoid tissues, 381
  T-cell priming, 255
Dendritic cells (porcine):
  activators of allogeneric T cells, 396
  characterization, 396
  monocyte-derived, 396
DNA vaccination: cytokines, 234

Endometrial T cells:
  sheep pregnancy, 317
  systemic control, 317
Escherichia coli heat-labile enterotoxin:
  adjuvanticity, 344
  GM1 binding, 344
  immunization onto bare skin, 344

Flt-3 ligand:
  dendritic cells, 352
  protection against herpes simplex virus type-1, 352

GATA-3:
  gene expression in human T cells, 123
  expression kinetics, 123
$\gamma\delta$ T cells:
  cell development, 24
  in *Listeria monocytogenes* infection, 94
  Ly49 expression, 24
  major histocompatibility complex class-I influence, 24
  T-cell receptor repertoire, 94
Glycosyl–phosphatidyl–inositol anchored molecules:
  Daudi cell expression, 242
  PvP^c, 242

Hepatitis C virus (HCV):
  lipopeptides, 460

Hepatocyte growth factor (HGF):
c-met interactions with lymphocytes, 506
effect on Ig secretion by B cells, 506
production by fibroblasts, 506
Herpes simplex virus-1 infection:
dendritic cells, 352
latency, 352
murine model, 352
natural killer cells, 352
protection by Flt-3 ligand, 352
Herpesvirus infection:
alcelaphine herpesvirus-1, 44
large granular lymphocytes, 44
ovine herpesvirus-2, 44
Herpesvirus infection protein tyrosine kinases:
Fyn, 44 Lck, 44
Human macrophages:
U937 as model for cytotoxic T lymphocyte activity in tuberculosis, 146
Human T cells:
GATA-3 expression, 123
T helper type 1/T helper type 2 polarization, 123

Ii, 405
IL-8 gene:
human, 498 post-transcriptional regulation, 498
regulation by 3′-UTR, 498
Immunoglobulin G:
role in macrophage survival, 331
Immunoglobulin production:
inhibited by metalloprotease inhibitors, 281
Immunoglobulins:
V_H gene sequence, 273
V_L gene sequence, 273
Immunoregulation:
by CD8 subsets, 115
Integrin (intercellular adhesion molecule) expression:
activation by $HgCl_2$, 31
Interleukin-5 receptor α chain:
role in B-cell proliferation, 289
role in immunoglobulin G1 switch, 289
Interleukin-10:
induces macrophage apoptosis, 331
role in $CD16^+$ cell differentiation, 331
Interleukin-18:
induces Langerhans cell migration, 323
tumour neurosis factor-α and interleukin-1β dependence, 323
Intracellular pathogens:
utilize caveolae, 2
Invariant chain (Ii):
generation of peptide/MHC class II complexes, 405

Langerhans cells:
migration induced by interleukin-18, 323
cytokine-induced migration, 323
Lectins:
as mucosal adjuvants, 77
Lipopeptides:
HCV, 460
immunomodulators, 460
Lipopolysaccharide, 15
Listeria monocytogenes:
infection, 94
kidneys, 94

Macrophage apoptosis:
CD16 expression, 331
role of interleukin-10, 331
Macrophages:
role in tartrate-resistant acid phosphatase knockout mice, 103
Major histocompatibility complex class-I-specific inhibitory receptors:
expression on γδ T cells, 24
Ly49, 24

Mannose-binding lectin:
characterization, 338
conservation between human and porcine, 338
porcine, 338
Mast cells:
bone marrow derived, 165
initiate specific immune responses, 165
murine, 165
upregulation of humoral and cellular immune response *in vivo*, 165
Memory:
B cell, 387
Burnet B cells, 387
in B-cell-deficient mice, 199
Jerne B cells, 387
protection against *Chlamydia trachomatis*, 199
relay hypothesis, 387
Mercuric chloride:
activates T-cell adhesion in human T-cell clones, 31
induces integrin-mediated T-cell adhesion, 31
induced intercellular adhesion molecule expression, 31
Metalloprotease inhibitors:
block soluble CD23 release, 281
inhibit immunoglobulin E production, 281
MHC class II:
Ii-mediated regulation of antigen presentation, 405
Mistletoe lectin I:
intranasal, 77
mucosal adjuvantiaty properties, 77
Monocyte chemoattractant protein 1:
production by alveolar epithelial cells, 157
Mycobacteria:
allergy challenge model, 441
recombinant, 441
Th1 adjuvants, 441
Mycobacterium avium infection:
animal model, 234
DNA vaccination, 234
immunotherapy, 234
Mycobacterium avium infection, cytokines:
interferon-γ, 234
interleukin-18, 234
Mycobacterium tuberculosis:
antigen-specific $CD8^+$ cytotoxic T lymphocyte, 146
γδ cytotoxic T lymphocyte activity, 146
infected human macrophage U937, 146
Mycobacterium tuberculosis infection:
lung pathology, 248
role of tumour necrosis factor, 248
Mycobacterium vaccae:
adjuvant, 225
$CD8^+$ cytotoxic T lymphocyte response to exogenous proteins, 225

Natural killer T cells:
CD40 ligand expression, 137
induce dentritic cell apoptosis, 137
Neutrophil:
human, 59
role in proteoglycan degradation, 59
signalling, 59
synovial fluid, 59
NKT cells:
liver, 450
T-cell phylogeny, 450
Non-conventional T cells:
development, 450
liver, 450
$NK1.1^-$ extrathymic T cells, 450

OX2:
expression in human lymphoid and non-lymphoid tissues, 173
human cell surface expression, 173

Phosphatidylinositol 3-kinase (PI 3-K):
translational control of TNFα, 416

Porcine dendritic cells:
activators of allogeneic T cells, 396
characterization, 396
monocyte-derived, 396
Pregnancy:
endometrical T cells, 317
sheep, 317
T-lymphocyte numbers, 317
Prion protein:
expression in Daudi cells, 242
human PvP^c, 242
Prostaglandins:
modulatory effect in *P. brasiliensis* infection, 480
rise in monocyte fungicidal activity, 480
Protein tyrosine kinase activation:
herpesvirus infection, 44
Proteoglycan:
degredation by human neutrophils, 59

Rabbit tuberculosis model:
BCG, 466 cell-mediated immunity, 466
vascular ICAM, VCAM, ELAM, 466
Relay hypothesis:
B-cell memory, 387

Sheep:
B-cell development, 131
Skin:
immunization with heat-labile enterotoxin cholera toxin, 344
route for vaccine delivery, 344
Stress:
humoral response to stress, 87
restraint stress, 87

T-cell response to stress, 87
T helper type 1/T helper type 2 polarization:
GATA-3 expression, 123
human, 123
T helper type 2 responses:
in *Trichinella spiralis* infection, 218
role of aly, 218
T lymphocytes:
activation, 15
antigen-specific response, 15
proliferation, 15
tolerance, 15

Tartrate-resistant acid phosphatase: role in innate immaturity signalling pathways, 103
role in macrophage recruitment, 103
tartrate-resistant acid phosphatase knockout mice, 103
Tc1 cells:
in chronic *Trypanosoma cruzi* infection, 209
T-cell adhesion:
activated by $HgCl_2$, 31
T-cell apoptosis:
human, 310
promoted by transforming growth factor-β, 310
T-cell receptor repertoire:
CD28 phenotype, 301
Epstein–Barr vims, 301
oligoclonal expansion, 301
Thymus-1-dependent type-2 antigens:
and CpG motifs as adjuvants, 67
antibody responses, 67
Transforming growth factor-β:
human, 310
role in T-cell apoptosis, 310
Tripanosoma cruzi infection:
$CD8^+$-specific cells, 209
Tc1 accumulation in chronic infection, 209
Tumour necrosis factor (TNF):
monocyte activation, 480
role in chronic tuberculosis, 248
role in *P. brasiliensis* infection, 480
Tumour necrosis factor-α (TNFα):
control by activation of PI 3-K, 416
renal glomerular cell expression, 53
renal localization following injury, 53
translation, 416
Tumours:
as adjuvants for humoral immunity, 486
EMT6 mammary, 486
murine, 486

Uterine endometrium:
$CD8^+$ T cells, 434
lymphoid aggregates, 434
trafficking, 434

Vaccine delivery:
cholera toxin, 344
heat-labile enterotoxin, 344
skin, 344